




## Certificate of Analysis.

### Naphthalene melting point reference standard, AnStan®.

|                   |   |
|-------------------|---|
| Product Code:     | <b>BS14293.</b>   |
| Description:      | <b>Naphthalene melting point reference standard, AnStan®.</b> |
| Chemical Name:    | <b>Naphthene.</b>   |
| Pack Size:        | <b>1 gm.</b>  |
| CAS NO.:          | <b>91-20-3.</b>   |
| Mol. Weight:      | <b>128.17g/mol.</b>   |
| Mol. Formula:     | <b>C<sub>10</sub>H<sub>8</sub>.</b>                           |
| MDL Number:       | <b>MFCD00001742.</b>  |
| Boiling Point:    | <b>218 °C.</b>  |
| Density:          | <b>0.99 g/ml.</b>   |
| Solubility:       | <b>Soluble in Chloroform.</b>                                 |
| Storage           | <b>Store at Ambient temperature.</b>                          |
| Batch No:         | <b>Sample.</b>  |
| Manufacture Date: | <b>Lot specific.</b>  |
| Expiry Date:      | <b>5 years.</b>   |

| Characteristics | Specification                            | Measured Values      |
|-----------------|--|----------------------|
| Appearance:     | White to Almost white powder to crystal. | <b>Lot specific.</b> |
| Purity by GC:   | >99%.                                    | <b>Lot specific.</b> |
| Melting point:  | 79-81°C                                  | <b>Lot specific.</b> |

Please Note: - This material is only for laboratory purpose and not for human consumption.



#### **Certification & Traceability:**

This product was manufactured, processed and/or certified under a quality management system that is accredited ISO 17034:2016 and ISO/IEC 17025:2017. The relative initial and final melting points and melting range of organic chemicals is determined by the standard method ASTM E324.

All standard components used in the manufacture of this product are pre-qualified and verified before use. The balances used in the preparation of this Standard are calibrated regularly, using a calibration provider that is accredited to ISO/IEC 17025. Tests were performed for capacity, readability, repeatability and linearity.



**USA:** #1004, Boston, Massachusetts, 02116, United States. **India:** Jeedimetla, Hyderabad-500 055, Telangana.

[www.britisscientific.com](http://www.britisscientific.com)

This product is manufactured, packaged, stored, and shipped in accordance with good manufacturing practices that is certified to WHO-GMP. The uncertainty associated with each certified value represents the expanded uncertainty at the 95% confidence level using a coverage factor of  $k=2$ .

**Validity Period:**

Briti Scientific standards ensures the accuracy of this product for 5 years from the manufacture date given above, provided the instructions for use are followed.

**Quality Certifications:**

This product was prepared under a quality management system that is complies with the following:

**ISO 17034:2016:** Reference Materials Producer, CGI Certificate No. WGMP/22N2594 – General Requirements for the Competence of Reference Material Producers.

**ISO 17034** references additional requirements specified in ISO Guide 31 and ISO Guide 35.

**ISO/IEC 17025:2017:** Chemical Testing, CGI Certificate No. UG/23N256- General Requirements for the Competence of Testing and Calibration Laboratories

**ISO 9001:2015** Certified: Quality Management Systems, CGI Certificate No. QMS/23N258.

**WHO-GMP** Certified: Good Manufacturing Practices, CGI Certificate No. WGMP/22N2594.

**Homogeneity:**

This product was determined to be homogenous by procedures consistent with the requirements of **ISO 17034** and **ISO Guide 35**. Replicate samples of the finished solution were analysed to confirm its homogeneity, in accordance with internal procedures for the assessment of homogeneity and stability.

**Health and Safety Information:**

Refer to the Safety Data Sheet (SDS), which can be obtained at [www.britisscientific.com](http://www.britisscientific.com).

This certificate shall not be reproduced except in full, without written approval from Briti Scientific. This is a computer generated COA, no stamp or signature is required.

