



## Certificate of Analysis.

### Cupric sulphate standard solution according to Chinese Pharmacopoeia (ChP).

Product Code:	<b>BS14346.</b>
Description:	<b>Cupric sulphate standard solution according to Chinese Pharmacopoeia (ChP).</b>
Pack:	<b>100 ml.</b>
Chemical Name:	<b>NA.</b>
CAS No.:	<b>NA.</b>
Mol. Weight:	<b>NA.</b>
Mol. Formula:	<b>NA.</b>
Solubility:	<b>Soluble in water.</b>
Accuracy:	<b>±0.1.</b>
Storage:	<b>Store at ambient temperature.</b>
LOT NO.:	<b>Sample.</b>
Manufacture Date:	<b>Lot specific.</b>
Expiry Date:	<b>1 year.</b>

Characteristics	Specification	Measured Values
Appearance:	Blue colour liquid.	<b>Lot specific.</b>
Odour:	Odourless.	<b>Lot specific.</b>
Specified Concentration:	62.3 g/l -62.5 g/l.	<b>Lot specific.</b>

Note: - This material is only for laboratory purpose and not for human consumption.

#### **Certification & Traceability:**

This product was manufactured, processed and/or certified under a quality management system that is accredited **ISO 17034:2016 and ISO/IEC 17025:2017**.

The balances used in the preparation of this product are calibrated regularly, using a calibration provider that is accredited to **ISO/IEC 17025**. All standard components used in the manufacture of this product are pre-qualified and verified before use. This Product is tested and manufactured according to **Chinese Pharmacopoeia**.

Tests were performed for capacity, readability, repeatability and linearity. This product is manufactured, packaged, stored, and shipped in accordance with good manufacturing practices that is certified to **WHO-GMP**. The uncertainty associated with each certified concentration represents the expanded uncertainty at the 95% confidence level using a coverage factor of **k=2**.



**Validity Period:**

Briti Scientific standards ensures the accuracy of this product for 5 years from the manufacture date given above, provided the instructions for use are followed.

**Quality Certifications:**

This product was prepared under a quality management system that is accredited to the following:

**ISO 17034:2016** Accredited: Reference Materials Producer, CGI Certificate No. WGMP/22N2594 – General Requirements for the Competence of Reference Material Producers.

**ISO 17034** references additional requirements specified in ISO Guide 31 and ISO Guide 35.

**ISO/IEC 17025:2017** Accredited: Chemical Testing, CGI Certificate No. UG/23N256- General Requirements for the Competence of Testing and Calibration Laboratories.

**ISO 9001:2015** Certified: Quality Management Systems, CGI Certificate No. QMS/23N258.

**WHO-GMP** Certified: Good Manufacturing Practices, CGI Certificate No. WGMP/22N2594.

**Health and Safety Information:**

Refer to the Safety Data Sheet (SDS), which can be obtained at [www.britisscientific.com](http://www.britisscientific.com).

This certificate shall not be reproduced except in full, without written approval from Briti Scientific. This is a computer-generated COA, no stamp or signature is required.



**Dr. K. Deepti.**  
**Technical Head.**

